

**Farenheit**  
www.farenheitusa.com



2005



**Fahrenheit** Technologies has been the gold standard for others to be measured by for video solutions. Few manufacturers can match our after-market market expertise. The key to our success is to design and engineer products that meet the needs of the consumers in the United States! The SUV phenomenon is distinctly American, many foreign manufacturers attempt to build products that will appeal worldwide, and we believe the trade offs are too high to consider. We believe that's why they missed the video wave that began five years ago. They were looking at the world market to determine the proper entry point!

Many may ask, why buy from an American company when the Japanese companies make the best in dash head units. Let me explain this way; why buy a copy when you can have the original!



CEILING MONITOR  
DVD COMBO  
page 3~5



CEILING MOUNT  
MONITORS  
Page 6~9



HEADREST MONITORS  
Page 10~11



SUNVISOR MONITORS  
page 11-12

REAR VIEW  
MONITORS  
page 12

# Fahrenheit

[www.fahrenheitusa.com](http://www.fahrenheitusa.com)

# 20

We were the first company to introduce box style DVD players that could go mobile. We were also the first to introduce detachable headrest monitors (patent pending) and the first to develop sun visor screens. We introduced the first 10" wide screen overhead console with built-in DVD and TV tuner. We were also the first to offer a system concept with multiple drive sources and only one remote control.

We have the most sophisticated multi-switchers offered by any company that will fit whatever type of system you may want to design.

This year we are introducing many new unified motorized overheads with DVD, DivX, navigation, license plate and hitch cameras and more. If you have the vehicle we have something that will fit your discriminating taste!

protect your investment by purchasing the only brand to offer these concepts.



REAR VIEW Systems

page 13



Divix & Navigation

Page 14



IN-DASH MONITORS

DVD PLAYERS

Page 15~17



VIDEO ACCESSORIES

page 18~21



XENON BULBS

page 22

05

20 05

# Ceiling Monitor/DVD Combos

Super convenient Side Loading System



## MDM-1200CM (Motorized Flip Down)

12" Wide Combo Flip Down Monitor with DVD Player & TV Tuner

- 12" Flip down Monitor with DVD & TV Tuner
- Adjustable screen angle with remote control
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 2 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Aspect Ratio 16:9
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Light Front & Rear
- Resolution: 1024 x 600 (XGA)
- Panel Brightness: 350 NIT

### **DVD Section** DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock

## MDM-1045CM (Motorized Flip Down)

10.4" Combo Flip Down Monitor with DVD Player & TV Tuner

- 10.4" Flip down Monitor with DVD & TV Tuner
- Adjustable screen angle with remote control
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 2 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Aspect Ratio 4:3
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Light Front & Rear
- Resolution: 1024 x 600 (XGA)
- Panel Brightness: 250 NIT

### **DVD Section** DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



## TR-120M

Extra Trim rim for MDM-1200CM & MDM-1045CM  
Allows cutting for Sculptured Ceilings

# Ceiling Monitor/DVD Combos

Super convenient Side Loading System



## MD-1510CM

15.1" Wide Combo Flip Down Monitor with DVD Player & TV Tuner

- 15.1" Flip down Monitor with DVD & TV Tuner
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Aspect Ratio 16:9
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Light Front & Rear
- Resolution: 1280 x 800 (XGA)
- Panel Brightness: 250 NIT

### DVD Section DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



## TR-15

Extra Trim rim for MD-1510CM  
Allows cutting for Sculptured Ceilings

## MD-1020CMN

10.2" Wide THIN Combo Flip Down Monitor with DVD Player & TV Tuner

- 10.2" Flip down Monitor with DVD & TV Tuner
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Aspect Ratio 16:9
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Light Front & Rear
- Resolution: 1024 x 600 (XGA)
- Panel Brightness: 350 NIT

### DVD Section DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



## TR-102

Extra Trim rim for MD-1020CMN  
Allows cutting for Sculptured Ceilings

# Ceiling Monitor/DVD Combos



## MD-1030CM

10.4" Combo Flip Down Monitor with DVD Player

- 10.4" Flip down Monitor with DVD
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Aspect Ratio 4:3
- Built-in IR Transmitter for Wireless Headphones
- Dome Light Front & Rear
- Resolution: 1024 x 768 (XGA)
- Panel Brightness: 250 NIT

### **DVD Section** DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock

**CMTV-1** Optional TV Tuner by Plug in Module

**CMFM-1** Optional FM Transmitter by Plug in Module

## MD-830CM

8" Combo Flip Down Monitor with DVD Player

- 8" Combo Flip down Monitor with DVD
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Aspect Ratio 4:3
- Built-in IR Transmitter for Wireless Headphones
- Dome Light Front & Rear
- Resolution: 640 x 480 (XGA)
- Panel Brightness: 350 NIT

### **DVD Section** DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



## TR-103

Extra Trim rim for MD-1030CM  
Allows cutting for Sculptured Ceilings

# Ceiling Mount Monitors



## T-1502CM

15.2" Universal Ceiling Mount Monitor

- Amorphous Active Matrix Digital TFT/LCD
- Remote Control
- OSD On Screen Display
- Dual A/V Inputs
- Built-in IR Transmitter
- NTSC / PAL Auto Switchable
- **400 NIT Brightness (Super Picture Quality & brightness)**
- Resolution: 1024 x 768
- Dimensions: 1.6"(W) x 14.7"(D) x 15.2"(H)



**1502GM**

GM SUV Vehicle specific overhead  
for T-1502CM



## T-1541CM

15.4" TFT-LCD Digital **Wide Screen** Universal Ceiling Mount

- Amorphous Active Matrix TFT/LDC
- PAL/NTSC Switchable
- Ultra thin footprint ( 45mm Thickness)
- Built in FM Transmitter,
- Built in IR Transmitter
- OSD (On Screen Display)
- Dome Lights
- 2 A/V Inputs
- 2 A/V Outputs
- Resolution: 1280 x 800
- Dimensions: 14.45"(W) x 12"(D) x 1.77"(H)
- Dome Lights
- Panel Brightness: 250 NIT



## T-1423CMT

14.1" Universal Ceiling Mount

- Amorphous Active Matrix TFT/LCD
- **Built-In TV Tuner** (NTSC Only)
- Super Thin Small Foot Print
- Remote Control
- OSD On Screen Display
- NTSC/PAL Switchable
- Built-in IR Transmitter
- 2 A/V Inputs
- 1 A/V Output
- Resolution: 1152 x 768
- Dimensions: 14.5"(W)x 12"(D) x 1.5"(H)
- Panel Brightness: 250 NIT

# Ceiling Mount Monitors



fairenheit technologies - provide attractive styling and exceptional quality of mobile entertainment.

## T-1042CMS

10.4" Swivel Universal Ceiling Mount

- Amorphous Active Matrix TFT/LCD
- 10.4" Swivel Universal Ceiling Mount
- Fits Some Vehicle Specific Overhead
- Remote Control
- Unified Micom Frequency For Optional Universal Remote (Remote-4)
- OSD On Screen Display
- Dual Audio / Video Inputs

- Single Video Output
- Built-in Dome Lights
- Built-in FM Transmitter
- Built-in IR Transmitter
- Resolution: 800x 600
- Dimensions: 1.7" x 9.6" x 14.8"
- Panel Brightness: 250 NIT



## 1042GM

GM SUV Vehicle specific overhead for T-1042CMS



## T-1090CM

10.4" Swivel universal Ceiling Mount Monitor

- Amorphous Active Matrix TFT/LCD
- Remote control
- OSD On Screen Display
- NTSC/PAL switchable
- Single Audio/Video Input
- Built-in IR transmitter
- Built-In Dome lights
- Panel Brightness 250 NIT
- Resolution: 1600x320

## T-8006CM

8" Swivel universal Ceiling Mount Monitor

- Amorphous Active Matrix TFT/LCD
- Remote control
- OSD On Screen Display
- NTSC/PAL switchable
- Single Audio/Video Input
- Built-in IR transmitter
- Built-In Dome lights
- Panel Brightness 350 NIT
- Resolution: 640x480

## T-8004CM

8" Wide (16:9) Swivel universal Ceiling Mount

- Amorphous Active Matrix TFT/LCD
- Remote control
- OSD On Screen Display
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- NTSC/PAL switchable
- 1 Audio/Video Input
- Built-In Dome lights
- Resolution: 1440 x 234
- Panel Brightness: 400 NIT
- Dimension: 9.5"(D) x 10.6"(W) x 1.6" (H)



# Ceiling Mount Monitors



## 7" Wide (16:9) Swivel Universal Ceiling Mount

- Amorphous Active Matrix TFT/LCD
- Fits Some Vehicle Specific Overhead
- Remote Control
- Unified Micom Frequency For Optional Universal Remote (Remote-4)
- 4 Screen Modes ( Full, Wide, Cinema, Zoom )
- OSD On Screen Display
- NTSC/PAL switchable
- Single Audio / Video Inputs
- Single Video Output
- Built-in Dome Lights
- Built-in FM Transmitter
- Built-in IR Transmitter
- Resolution: 1440 x 234
- Panel Brightness: 400 NIT
- Dimensions: 1.7"(H) x 9.5"(D) x 12.5"(W)

## T-7008CM

- 7" Wide (16:9) Swivel universal Ceiling Mount
- Amorphous Active Matrix TFT/LCD
- Fits Some Vehicle Specific Overhead
- Remote control
- 4 Screen Modes ( Full, Wide, Cinema, Zoom )
- OSD On Screen Display
- NTSC/PAL switchable
- 1 Video Input
- Built-In Dome lights
- Resolution: 1440 x 234
- Panel Brightness: 400 NIT
- Dimension: 1.7" (H) x 9.5"(W) x 12.5"(D)

## T-7010CM

- 7" Wide (16:9) Swivel universal Ceiling Mount
- Amorphous Active Matrix TFT/LCD
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- Remote Control
- OSD On Screen Display
- (NTSC & PAL) Selectable
- Built-in IR Transmitter
- Built-in Dome Lights
- Panel Brightness: 400NIT
- Resolution: 1440 x 234
- Dimensions: 10.5"(D) x 9.75" (W) x 1.25"(H)



**W-7CMS**  
Woodgrain Shroud  
Replacement For T-7007CM



# Monitors

LCD with function and style. The slim and compact design liberates the space. Great and Clear quality.



## CI-17 17" Wide Screen Monitor

- Amorphous Active Matrix TFT/LCD
- Remote Control
- OSD On Screen Display
- NTSC/PAL Switchable
- Front Controls
- High Brightness: 450 NIT
- Resolution: 1280 x 768
- Dimensions: 16" x 11" x 1.8"

# Home TV

LCD with function and style. The slim and compact design liberates the space. Great and Clear quality.

## HD-32 32" LCD /TFT TV

Contrast Ratio	<b>500 : 1</b>
	<b>Brightness 500 cd / m2</b>
	<b>Viewing Angle 170o (H) / 170o (V)</b>
TV	Channel 185 CH Features 480i/P / 720P/ 1080i (HDTV Ready) Closed Caption, V-Chip, PIP / POP
Audio	5 Language Support (Eng, Fr, Ger, Itr, Spe) Output Power RMS 10W X 2 Sound BTSC Stereo (MTS/SAP), Pseudo Stereo, Surround Speaker 2 Way 4 Speakers
Connections	AV Input AV 1 : CVBS, S-VIDEO, Sound R/L AV 2 : CVBS, S-VIDEO, Sound R/L AV 3 : CVBS, YPbPr, Sound R/L AV 4 : CVBS, YPbPr, Sound R/L AV Output CVBS, Sound R/L PC Input DVI-I with HDCP, Sound stereo RF Input RF Input Headphone



Power Consumption: 185W (Max. Approx.), 5W (Power saving mode)  
Supply Input : AC 100~240V, DC 12V, Output : DC 12V, 10A  
Dimensions (Without Stand): 36" x 19" x 4"  
Weight: 44lbs/20Kg (With Stand)



Have awesome custom look. Great selection from 5" - 8" for the ultimate large screen viewing.



**T-6565PKG 6.5" 2 Headrest With 2 Channel IR, DVD**

- 6.5 TFT/LCD Wide Touch Screen Monitors
- Din to Locking U.S.B. Quick Install System
- 4 Screen Modes (Full, Wide, Cinema, Normal)
- On Screen Display (OSD)
- (NTSC & PAL) Selectable
- Front Headphone Jack
- Touch Screen Technology
- 2 A/V Inputs
- 3 A/V Outputs
- Aspect Ration 16:9
- Resolution: 1200 x 234
- Panel Brightness: 450 NIT
- Including 2 400 MHZ dual Ch. Wireless Headphones
- Including DVD-61 DVD Plyer



**T-7016HR**

7" Wide (16:9) Headrest Monitor

- Amorphous Active Matrix TFT/LCD
- Front controls
- Front Headphone Jack
- 1 Video Input
- OSD On Screen Display
- Remote Control
- Panel Brightness: 400NIT
- 4 Screen Mode (Full, Wide, Cinema, Zoom)
- NTSC/PAL switchable
- Resolution: 1440 x 234
- Dimensions: 7" x 5" x .9"

**T-7000MHR**

7" Wide (16:9) Headrest Module

- Amorphous Active Matrix TFT/LCD
- Including pre-curved headrest Adapter
- Adjustable Installation Depth Headrest Shroud
- 1 Video Input
- OSD On Screen Display
- Remote Control
- Panel Brightness: 400NIT
- 4 Screen Mode (Full, Wide, Cinema, Zoom)
- NTSC/PAL switchable
- Resolution: 1440 x 234
- Dimensions: 7" x 5" x .9"

**T-7013HRS**

7" Wide (16:9) Headrest Monitor

- Amorphous Active Matrix TFT/LCD
- Including Pre-Curved Headrest Adapter
- Adjustable Installation Depth Shroud
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- Injection Molded Case
- OSD On Screen Display
- (NTSC & PAL) Selectable
- 1 Video Input
- Remote Control
- Panel Brightness: 400NIT
- Resolution: 1440 x 234
- Stand Included
- Dimensions: 7" x 5" x .9"

# Headrest Monitors



## T-6501MH

6.5" Wide Screen Headrest Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (16:9) Ratio Wide Screen Monitor
- 5 Screen Modes (Full, Stretch, Cinema, Wide, Zoom)
- Injection Molded Case
- OSD On Screen Display
- (NTSC & PAL) Selectable
- Single Video Input
- Remote Control
- Panel Brightness: 450NIT
- Resolution: 1200 x 234
- Dimensions: 6 x 5 x .75"



## T-6502HRS

6.5" Wide Screen Headrest Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (16:9) Ratio Wide Screen Monitor
- 5 Screen Modes (Full, Stretch, Cinema, Wide, Zoom)
- OSD On Screen Display
- (NTSC & PAL) Selectable
- Dual Video Inputs
- Front Controls & Headphone Jack
- Remote Control
- Stand Included
- Panel Brightness: 450NIT
- Resolution: 1200 x 234
- Dimensions: 6 x 5 x 1"



## T-5001MHN

5" Headrest Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (4:3) Ratio
- OSD On Screen Display
- NTSC Only
- Single Video Input
- Signal Sensing On/Off
- Rear Adjustments For Color, Contrast, Bright & Tint
- **Super Bright 650 NIT**
- Resolution: 960 x 240
- Dimensions: 5 x 3.5 x .75"

# Sunvisor Monitors

## T-7308MSV

7.3" Wide Screen Visor Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (16:9) Ratio Wide Screen Monitor
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- Injection Molded Case
- Vanity Mirror and Light

- OSD On Screen Display
- (NTSC & PAL) Selectable
- Single Video Input
- Front Controls
- Panel Brightness: 250NIT
- Resolution: 1440 x 234
- Dimensions: 8 x 5 x .75"



## T-7027MSV

7" Wide (16:9) Sun visor Monitor

- Amorphous Active Matrix TFT/LCD
- 1 Video Input
- OSD On Screen Display
- Remote Control
- Panel Brightness: 250NIT
- 4 Screen Mode (Full, Wide, Cinema, Zoom)
- NTSC/PAL switchable
- Resolution: 1440 x 234
- Panel Brightness: 400 NIT
- Dimensions: 9" x 5" x .9"



## T-7029MSV

7" Wide Screen Sun visor Monitor

- Amorphous Active Matrix TFT/LCD
- (16:9) Ratio Wide Screen Monitor
- 1 Video Input
- OSD On Screen Display
- Remote Control
- 3 Screen Mode ( Full, Wide, normal)
- Injection Molded Case
- Front Controls
- Resolution: 1440 x 234
- Panel Brightness: 400 NIT
- Dimension: 9" x 5" x .7"



## T-6509MSV

6.5" Wide Screen Visor Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (16:9) Ratio Wide Screen Monitor
- 5 Screen Modes (Full, Stretch, Cinema, Wide, Zoom,)
- Injection Molded Case
- OSD On Screen Display
- (NTSC & PAL) Selectable
- Single Video Input
- Remote Control
- Panel Brightness: 450NIT
- Resolution: 1200 x 234
- Dimensions: 6.25 x 3.75 x 1"

# Sunvisor Monitors



## T-5808MSV

5.8" Wide Screen Visor Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (16:9) Ratio Wide Screen Monitor
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- Injection Molded Case
- Vanity Mirror and Light
- OSD On Screen Display
- NTSC Only
- Single Video Input
- Remote Control
- Panel Brightness: 350 NIT
- Resolution: 960 x 234
- Dimensions: 10 x 4.5 x .75"

## T-5009MSVN

5" Visor Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (4:3) Ratio Monitor
- Injection Molded housing
- OSD On Screen Display
- Single Video Input
- Panel Brightness: 650NIT
- Resolution: 960 x 234
- Dimensions: 5 x 3.5 x .5"

## T-5008CLP

5" Visor Monitor

- Amorphous Active Matrix TFT/LCD Screen
- (4:3) Ratio Monitor
- Injection Molded housing
- Quick Disconnect Wiring
- Spring Clip Mounting System
- Velcro Strap Security System
- OSD On Screen Display
- Front Panel Controls
- Single Video Input
- Panel Brightness: 650NIT
- Resolution: 960 x 234
- Dimensions: 5 x 3.5 x .5"

# Rear View Monitors

## T-3506S 3.5" Windshield Or Dash Mountable Rear View Monitor

- Amorphous Active Matrix TFT/LCD Screen
- Automatic Mirror Image Selector for Back-up Camera
- Clip-on Kid View Monitor & Mirror
- OSD On Screen Display
- Swivel Screen 0 to 180 Degrees L/R Up/Down
- 1 A/V Inputs
- Panel Brightness factor: 280NIT
- Resolution: 600 x 234
- Dimensions: 3.75 x 3.75 x .75"



## TM-35 3.5" Navigation & Kid Mirror Monitor

- Amorphous Active Matrix TFT/LCD
- Automatic Mirror Image Selector for Back-Up Camera
- 2 Video Inputs
- OSD On Screen Display
- Remote Control
- Clip On Mounting kit fits all cars
- NTSC/PAL switchable
- Resolution: 600 x234
- Brightness: 280 NIT

## TM-45C 4" Navigation & Kid Mirror Monitor

- Amorphous Active Matrix TFT/LCD Screen
- Automatic Mirror Image Selector for Back-up Camera
- Invis-a-monitor Mirror
- Clip On Mounting kit fits all cars
- OSD On Screen Display
- NTSC/PAL switchable
- Digital Clock
- Dual Video Inputs
- Remote Control
- Resolution: 600 x 234
- Brightness: 280 NIT



The Easiest way to add entertainment and security to your vehicle.

# Rear View Systems

## HITCH-35PKC Hitch Camera With 3.5" Monitor (Chrome Color)

## HITCH-35PKB Hitch Camera With 3.5" Monitor (Black Color)

### Monitor

- 3.5 " TFT/LCD Monitor
- Brightness Control
- 1 A/V Aux Input
- 1 A/V Output
- Resolution: 480 x 234

### Hitch Camera

- Black Hitch Cover with Rear View Camera
- Hard Metal Casting
- Mirror Image Feature
- Easy Locking System with Water Proof Din Cable (13ft.)
- Image Sensor : Digital Color CCD with 12 IR LEDs for Night Vision
- System : NTSC
- Dimension : 5.7"(W) x 3.3"(H) x 4.2"(D)



## LP-35PKG License Plate back-up

Camera w/ 2 Back up Sensors & Monitor

- **Black** Hard Metal Casting
- Mirror Image Feature
- System: NTSC
- 2 Spacers For Installation Included
- Water Proof CCD Camera Type: 1/3"

Interline

- Electronic Focusing and Auto Brightness Control

### Monitor

- 3.5 " TFT/LCD Monitor
- Brightness Control
- 1 A/V Aux Input
- 1 A/V Output
- Resolution: 480 x 234



## LP-5C License Plate Camera

- **Black** Hard Metal Casting
- Mirror Image Feature
- System: NTSC
- 2 Spacers For Installation Included
- Water Proof CCD Camera Type: 1/3" Interline
- Electronic Focusing and Auto Brightness Control
- Light Sensitivity 30 ire: 4 Lux (Scene)
- 2 Ultrasonic Back Up Sensors
- No Cutting, No Drilling Easy Installation

## HITCH-5C Hitch Camera Chrome Color

## HITCH-5B Hitch Camera Black Color

- Black Hitch Cover with Rear View Camera
- Hard Metal Casting
- Mirror Image Feature
- Easy Locking System with Water Proof Din Cable (13ft.)
- Image Sensor : Digital Color CCD with 12 IR LEDs for Night Vision
- System : NTSC
- Dimension : 5.7"(W) x 3.3"(H) x 4.2"(D)



## LP-3 License Plate Back Up Sensor With Front Dash Display

- 2 Ultrasonic Back Up Sensors
- Digital Detection Range: 4" to 60"
- Stage by Stage Sound Alarm, Louder Faster Sound for Shorter Distance
- Water Proof
- **Black** Hard Metal Casting
- 2 Spacers For Installation Included
- Front Dash Display With Swivel Mount
- Showing Distance and Direction of Obstacles
- No Cutting, No Drilling Easy Installation

# DiVX & Navigation Systems

Nobody likes a back seat driver, but you will love our new "Road Boss" Navigation System. Convenient voice prompting for all turns and approaching turn distance.

## NAV-1 Navigation

- Compact design with 3.5" high resolution TFT monitor with touch screen programming
- Move this unit from vehicle to vehicle with the easy to use vacuum mounting system
- Complete Nation Wide address to address route mapping with one gigabyte memory storage on "SD" card
- Utilizes smart map technologies from NavTech for the entire United States
- Voice prompting for turn-by-turn instructions without looking at your screen
- Innovative yet stable operating system with 12 channels
- Rapid acquisition & re-acquisition process
- Built-in micro-dish antenna plus input jack for external antenna
- USB and serial ports for online downloads

### System Applications:

- Car navigation software with accurate map matching algorithms
- Calendar functions
- Calculator
- File manager

### Supplied Accessories:

- External GPS antenna
- Mounting kit
- Cigarette lighter plug
- AC adaptor
- USB cable for online updates



## DivX-1

### HDD Multi Media Player External Storage Device

HDD Capacity: 20GB/40GB/80GB

HDD Type: 2.5 inch HDD

PC Interface: USB 1.0/1.1/2.0 Mass Storage Device  
(Mini USB 5 Pin Jack)

OS: Windows 98, 98SE, ME, 2000, XP, Mac OS 8.6, 9.x, 10.x

Remote Control

Power AC Adaptor(Optional)

Analog Stereo Jack-Out & Digital SPDIF (Optical)

System: NTSC/PAL

Firmware Upgrade: Available via USB (Update From Website)

OSD (On Screen Display) Multi Language

Subtitle Support: SMI (Synchronized Multimedia Interface)

Movie Playback:

MPEG Codec: MPEG-1 (VCD format), MPEG-2 (DVD format), MPEG-4 (ASP)

AVI Video Codec: DivX 3.11, DivX 4.x, DivX5.x, DivX Pro, XviD, Ms-Mpeg V1, MS-Mpeg V3

AVI Audio Codec: MP3(VBR), AC3(High Bitrate), MS-Mpeg, MP2

DTS (Pass Through ; Optical)

Video Resolution: 720 x 480, 720 x 576 @ 30 Frame

Support File Extension: AVI, MPG, DAT, VOB, MPE, M2V, M1V, MPA, M2P

Music Playback: WMA, OGG, ASF, MP1, MP2, MP3

(32-320Kbps, CBR & VBR)

Photo Viewer: JPEG Up to 4MB



# In-Dash Monitors/DVD Players



fareinheit technologies - provide attractive styling and exceptional quality of mobile entertainment.



## TID-895 In-dash Fully Motorized 7" Wide TFT/LCD Monitor w/ DVD Player

- DVD, MP3, CD, CDR,CDRW Player
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- AM/FM Radio with Presets
- Built-in TV Tuner With Diversity Circuitry
- Front Panel Display
- 6 Channel High Power (50Wx 4 & 25W x 2)
- 6 Channel Pre-amp Output
- Jog Shuttle Volume Control
- 2 A/V Inputs / 1 Camera Input / 1 A/V Output
- Motorized Screen Telescopes Out & Up/Down
- Adjustable Viewing Angle For Left/Right
- Bass/Treb/Fader/Bal Control
- OSD On Screen Display
- Remote Control
- Brightness: 400NIT Resolution: 1440 x 234
- Dolby Pro-logic/DTS Compatible Optical or Coaxial
- Digital Anti-shock
- NTSC/PAL
- ISO/DIN
- Auto Dimmer

## TID-890 In-dash Fully Motorized 7" Wide TFT/LCD Monitor w/ DVD Player

- DVD, MP3, CD, CDR,CDRW Player
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- AM/FM Radio with Presets
- Front Panel Display
- 6 Channel High Power (50Wx 4 & 25W x 2)
- 6 Channel Pre-amp Output
- Jog Shuttle Volume Control
- 2 A/V Inputs / 1 Camera Input / 1 A/V Output
- Motorized Screen Telescopes Out & Up/Down
- Adjustable Viewing Angle For Left/Right
- Bass/Treb/Fader/Bal Control
- OSD On Screen Display
- Remote Control
- Brightness: 400NIT Resolution: 1440 x 234
- Dolby Pro-logic/DTS Compatible Optical or Coaxial
- Digital Anti-shock
- NTSC/PAL
- ISO/DIN
- Auto Dimmer



# In-Dash Monitors/DVD Players



## DVD-13 In-Dash DVD, MP3, CD, CDR,CDRW Player

- Drop door full detachable face
- Built-in AM/FM PLL Radio
- 30 presets , Store/Scan/Seek
- Slot Loader for Multiple Angle Mounting
- Dolby Pro-Logic/DTS Compatible
- 4 CH Hi power (50wx4)
- 4 CH RCA Outputs
- Dancing Spectrum Analyzer
- Remote Control
- OSD On Screen Display
- Digital Anti-Shock
- NTSC/PAL Switchable
- ISO/DIN
- Preset EQ
- Loud/Mute
- Extra Large Multi-color LCD Display
- Clock
- Elec. Vol/Bal/Bass/Tre/Fad
- Last Position Memory

## TID-90PKG

In-dash Fully Motorized 7" Wide TFT/LCD Monitor w/ DVD Player

- DVD, DVD-R, MP3, CD, CDR, CDRW Player
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- AM/FM Radio with Presets
- Built-in TV Tuner With Diversity Circuitry
- Super Large Display
- 4 Channel High Power Output ( 4CH x 50W)
- 4 Channel Pre-amp Output
- Jog Shuttle Volume Control
- 2 A/V Inputs / 1 Camera Input / 1 A/V Output
- Fully Motorized Screen Telescopes Out & Up/Down
- Adjustable Viewing Angle For Left/Right
- Bass/Treb/Fader/Bal Control
- OSD On Screen Display
- Brightness: 400NIT Resolution: 1440 x 234
- Dolby Pro-logic/DTS Compatible Optical or Coaxial
- Remote Control
- Digital Anti-shock
- NTSC/PAL
- ISO/DIN
- Auto Dimmer



## DVD-27 In-Dash DVD, MP3, CD, CDR,CDRW Player

- Drop door full detachable face
- Built-in AM/FM PLL Radio
- 30 presets , Store/Scan/Seek
- Slot Loader for Multiple Angle Mounting
- Dolby Pro-Logic/DTS Compatible
- 4 CH Hi power (50wx4)
- 4 CH RCA Outputs
- Dancing Spectrum Analyzer
- Remote Control
- OSD On Screen Display
- Digital Anti-Shock
- NTSC/PAL Switchable
- ISO/DIN
- Preset EQ
- Loud/Mute
- Extra Large Multi-color LCD Display
- Clock
- Elec. Vol/Bal/Bass/Tre/Fad
- Last Position Memory

# DVD Players / VCR



## DVD-61 In-Dash DVD, DVD-R, CD, MP-3, CDR, CDRW, Player

## DVD-63T In-Dash DVD, DVD-R, CD, MP-3, CDR, CDRW, Player With Built-In TV Tuner

- Slot Loading DVD for Multiple Angle Mounting
- **Last Position Memory**
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Accessory Remote Eye
- **Front And Rear Inputs**
- OSD On Screen Display
- Digital Anti-shock
- NTSC/PAL Selectable
- Floor & Under Dash Mounting Brackets
- ISO/DIN

## DVD-36 In-Dash DVD, MP3, CD, CDR, CDRW Player

- Slot Loading DVD for Multiple Angle Mounting
- In-Dash, Floor & Under Dash Mounting Brackets
- Front Panel A/V RCA Inputs
- **Last Position Memory**
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Accessory Remote Eye
- OSD On Screen Display
- Digital Anti-shock
- NTSC/PAL Selectable
- DIN Size Trim Ring For Dash Mounting
- Cigarette Lighter Plug
- Dimensions: 6.4" x 6.2" x 2"

## DVD-34A DVD, CD, MP-3, CDR, CDRW, Player

## DVD-34TV DVD, CD, MP-3, CDR, CDRW, Player With Built-In TV Tuner

- Slot Loading DVD for Multiple Angle Mounting
- In-Dash, Floor & Under Dash Mounting Brackets
- Front Panel A/V RCA Inputs
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Accessory Remote Eye
- OSD On Screen Display
- Digital Anti-shock
- NTSC/PAL Selectable
- DIN Size Trim Ring For Dash Mounting
- Cigarette Lighter Plug
- Dimensions: 6.4" x 6.2" x 2"

## VCR-102T Car VCR With TV Tuner

- 181 Channel Cable Ready Tuner
- Antenna Hook-up RG-59, 75 Ohm Connector
- 4 Head Hi-fi
- Wireless Remote Control
- Extra Remote Eye
- On Screen Display
- Aux A/V Input for Video Games or Camcorders
- Digital Auto Tracking
- Anti-shock, Anti-moisture
- Built-in HQ Circuitry (High Quality Picture Control)
- Super Alloy Diamond Recording & Playback Heads
- Frame by Frame & Slow Motion Functions
- Tape Eject Via Remote Control
- Mounting Bracket Included
- Dimensions: 3.6" x 10.2" x 10.3"



# Video Accessories



## AVIR-4 Wireless Audio/Video Controller

- 4 A/V inputs & 4A/V outputs
- All Outputs Independently Selectable Via IR Wireless Remote
- 18' Accessory Remote Eye & Remote Control
- Four 12volt output Triggers on Molex connectors
- Video Input Impedance: 75 Ohm
- Audio Input Impedance: 8.2k Ohm
- Dimensions: 1.5" x 8" x 5"



## AVIR-5 Wireless Audio/Video Controller

- 4 A/V inputs & 4A/V outputs
- All Outputs Independently Selectable Via IR Wireless Remote
- 18' Accessory Remote Eye & Remote Control
- Four 12 volt output Triggers on Molex connectors
- Video Input Impedance: 75 Ohm
- Audio Input Impedance: 8.2k Ohm
- Dimensions: 1.5" x 8" x 5"

• Also Available In PAL Version

## TUNER-5R 69 Channel

- **Built-In FM Transmitter**
- 4 Channel Diversity Antenna Inputs On Mini-jacks
- Remote Control Operation Via 18' Remote Eye
- Inputs For Accessory Back-up Camera
- Dual A/V Inputs
- Dual A/V Outputs
- Dimensions: 1.1" x 8" x 5"



Home & Car  
Leading Product

## AVST-4 Wireless Audio/Video Controller

- 4A/V inputs & 4A/V outputs
- All Outputs Independently Selectable Via Wall Mount Control Pad
- Video Input Impedance: 75 Ohm / RCA Composit
- Audio Input Impedance: 8.2k Ohm
- Dimensions: 1.5" x 8" x 5"
- CAT-5 Cable Connectable Between Control Pad & Main unit Up to 300 m
- Total 350 mA power consumption
- Switching 12 Volt DC Power Adapter (optional)



## CC-1 Color Weather Proof Rear View Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Adjustable Impact Resistant Swivel Housing
- Din Connector & RCA Outputs
- **Reversed Image**



## CCD-1 Weather Proof Rear View Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- Adjustable Impact Resistant Swivel Housing
- **Reversed Image**



## CC-2 Bullet Style Color Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- **Reversed Image**



## CCD-2 Bullet Style Color Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- **Reversed Image**



## CC-3 Bullet Style Color Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- **Reversed Image**

## CMS-1 Same In CMOS Version

## CMS-2 Same In CMOS Version

## CMS-3 Same In CMOS Version

# Video Accessories



## WLHP-1S Wireless Infrared Headphone

- Adjustable Headphone Straps
- Single Channel UHF IR TX Wave Head Phone Receiver
- Receives Broadcasts Up To 180° From Transmitter
- ON/OFF Switch Saves Battery Life
- Variable Volume Control
- ALC Auto Level Control
- Built-in Mute Function

## WLHP-2IR Wireless Infrared Headphones

- Adjustable Headphone Straps
- Single Channel UHF IR TX Wave Headphone Receiver
- Including IR Transmitter
- Receives Broadcasts Up To 180° From Transmitter
- ON/OFF Switch Saves Battery Life
- Variable Volume Control
- ALC Auto Level Control
- Built-in Mute Function

## WLHP-2x2IR 2 CH Wireless Infrared Headphones

- Adjustable Headphone Straps
- 2 Channel UHF IR TX Wave Headphone Receiver
- Including IR Transmitter
- Receives Broadcasts 180° Angle
- ON/OFF Switch Saves Battery Life
- Variable Volume Control
- ALC Auto Level Control
- Built-in Mute Function



## GOOSE 22 Heavy Duty 22" Goose Neck

- Accepts 7/16 Seat Bolt

## GOOSE 16 Heavy Duty 16" Goose Neck

- Accepts 7/16 Seat Bolt

## VB1 One In & Four Output Video Signal Booster

- Four Individual Output Trimmer Gain Controls
- Shielded Metal Housing For Noise Rejection
- Video Output Gain control

## AB-1 Twin Audio Booster

- Dual Source Inputs With Line Balancing to 2 Volts
- Independent Output Trimmer Pots For Each Source
- Shielded Metal Housing For Noise Rejection



## EFM-100 PLL FM Modulator

- PLL Phase Lock Loop Tuner Outputs
- 100 Frequency Settings On Up & Down Buttons
- LCD Display For Viewing Channels
- Shielded Metal Housing For Noise Rejection

## EFM-01 PLL FM Modulator

- PLL Phase Lock Loop Tuner Outputs
- 8 Frequency Settings On Selectable DIP Switches
- Shielded Metal Housing For Noise Rejection

## EFM-02 PLL FM Modulator

- PLL Phase Lock Loop Tuner Outputs
- 2 Frequency Settings Via Slide Switch
- Ground Loop Isolator Circuit
- Shielded Metal Housing For Noise Rejection

## EFM-04 PLL FM Modulator

- PLL Phase Lock Loop Tuner Outputs
- 7 Frequency Settings Via Slide Switch
- Ground Loop Isolator Circuit
- Shielded Metal Housing For Noise Rejection

# Video Accessories



## FMT-3 FM Transmitter

- Wireless 3 CH FM Transmitter
- Easy Installation
- Shielded Housing For Noise Rejection



## FMT-8 PLL FM Transmitter

- Wireless 8ch FM Transmitter
- Easy Installation
- Shielded Housing For Noise Rejection



## FMT-40D PLL FM Transmitter

- Wireless 40ch FM Transmitter
- 40 Frequency Settings On Up/Down Buttons
- LCD Display For Viewing Channels
- Easy Installation
- Shielded Housing For Noise Rejection



## ANT-1 4 Channel Diversity Twin Antennas

- Antenna leads, (4 Mini-plugs)
- Cable Length 12 Feet
- Receives Signals On Ch. 2-13 & 14-69
- Output Impedance: 75 Ohm



## ANT-4VCR VCR or DVD Antenna

- Mini-plug/RG-59 Cable Style Connector
- Single Channel Input 20dB.Gain
- Cable Length 12 Feet
- Receives Signals On Ch. 2-13 & 14-69
- Output Impedance: 75 Ohm



## ANT-5SUPER VCR or DVD Antenna

- **Super Enhanced Reception**
- Mini-plug/RG-59 Cable Style Connector
- Single Channel Input 20dB.Gain
- Cable Length 12 Feet
- Receives Signals On Ch. 2-13 & 14-69
- Output Impedance: 75 Ohm



## FILM-1 4 Channel Diversity Twin Film Antennas

- Antenna leads, (4 Mini-plugs)
- Cable Length 12 Feet
- Receives Signals On Ch. 2-13 & 14-69
- Output Impedance: 75 Ohm

## FILM-4VCR VCR or DVD Film Antenna

- Mini-plug/RG-59 Cable Style Connector
- Single Channel Input 20dB.Gain
- Cable Length 12 Feet
- Receives Signals On Ch. 2-13 & 14-69
- Output Impedance: 75 Ohm

## MS-2 Butterfly Style Monitor Stand

- TV Monitor Stand & Back Slide



## INV-1 300 Watt 12 Volt Power Inverter


- Single Output  
110 Volts 60 Cycles
- Use For Video Games  
(Nintendo, Sega, X-Box, etc.)

## INV-2 600 Watt 12 Volt Power Inverter

- Dual Outputs  
110 Volts 60 Cycles
- Use For Video Games  
(Nintendo, Sega, X-Box, etc.)

## GP-1 Game Plate Control

- On/Off Power Switch
- Gold Plated RCA's
- Injection Molded Housing
- Easy Snap-on Mounting System



**HB-1 (Patent Pending)**

- New Universal Installation Free Bracket
- Eliminates The Need To Cut Headrests
- Installation In Less Than 2 Minutes
- Makes All Monitors Detachable (anti-theft)
- Universal Size For All Size Brackets
- Fits All Size Monitors & Every Brand
- Ideal For Leased Cars
- Adjustable Mounting Base



**Audio Video RCA Cables**  
**Twisted pair balanced RCA Connectors**  
**Double Shielded**  
**Finely Braided Screen**  
**S-VHS with High Conductivity Copper Coil**

**AVC-1.5**      1.5 Feet RCA Cables  
**AVC-3**        3 Feet RCA Cables  
**AVC-6**        6 Feet RCA Cables

**AVC-9**        9 Feet RCA Cables  
**AVC-12**      12 Feet RCA Cables  
**AVC-17**      17 feet RCA Cables

**Fahrenheit** Video Accessories

[www.fahrenheitusa.com](http://www.fahrenheitusa.com)

# Xenon Super White Bulbs



Fahrenheit Super White and Plasma Xenon charged blue bulbs reduce eye-strain and increase safety by sharpening your view. They give you clarity, brilliance and sparkle of HID (high intensity discharge) lighting systems. They reflect much better on road markings and signs and make you less tired during night time driving.



- All Models Come in Pairs

- **New quartz glass holding twice air pressure for high intensity gas loading and extra long life time.**



**SUPER WHITE SERIES**

**H1**  
12V 100W

**H3**  
12V 100W

**H4**  
12V 100/90W

**H7**  
12V 100W

**9004**  
12V 100/80W

**9005**  
12V 100W

**9006**  
12V 80W

**9007**  
12V 100/80W



**SUPER WHITE SERIES**

**H8**  
12V 35W

**H9**  
12V 65W

**H11**  
12V 55W



© 2005 Farenheit Technologies. [www.farenheitusa.com](http://www.farenheitusa.com)  
 All Rights Reserved.  
 Specifications And Designs Are Subject  
 To Change Without Notice.  
 Printed In U.S.A.

Car Video Technologies

mobile entertainment

[www.farenheitusa.com](http://www.farenheitusa.com)